

# SAFETY DATA SHEET

## RHENOGRAN CBS-80



Version 2.0      Revision Date: 2019/06/27      SDS Number: 103000011114      Date of last issue: 2019/03/06  
Country / Language: HK / 6N

---

### 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : RHENOGRAN CBS-80

Product code : 05425549

#### Manufacturer or supplier's details

Supplier : 朗盛香港有限公司  
港島東 英皇道 979 號 太古坊  
康橋大廈 35 樓 3503-3504 室, 香港

Telephone : +85235268888

E-mail address of person responsible for the SDS : lxs-sds-china@lanxess.com

Emergency telephone number : 0049-214-30-99300 (German)

Supplier : LANXESS Hong Kong Limited  
Suites 3503-3504, 35/F Cambridge House  
TaiKoo Place, 979 King's Road Island East, Hong Kong, Hong Kong

Telephone : +85235268888

E-mail address of person responsible for the SDS : lxs-sds-china@lanxess.com

Emergency telephone : 0049-214-30-99300 (German)

#### Recommended use of the chemical and restrictions on use

Recommended use : Accelerator

---

### 2. HAZARDS IDENTIFICATION

#### GHS Classification

Skin corrosion/irritation : Category 3

Serious eye damage/eye irritation : Category 1

Skin sensitisation : Category 1

Short-term (acute) aquatic hazard : Category 1

Long-term (chronic) aquatic hazard : Category 1

# SAFETY DATA SHEET

## RHENOGRAN CBS-80



Version 2.0      Revision Date: 2019/06/27      SDS Number: 103000011114      Date of last issue: 2019/03/06  
Country / Language: HK / 6N

### GHS label elements

Hazard pictograms :



Signal word : Danger

Hazard statements : H316 Causes mild skin irritation.  
H317 May cause an allergic skin reaction.  
H318 Causes serious eye damage.  
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**  
P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.  
P272 Contaminated work clothing should not be allowed out of the workplace.  
P273 Avoid release to the environment.  
P280 Wear protective gloves/ eye protection/ face protection.  
**Response:**  
P302 + P352 IF ON SKIN: Wash with plenty of water.  
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.  
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.  
P362 + P364 Take off contaminated clothing and wash it before reuse.  
P391 Collect spillage.  
**Disposal:**  
P501 Dispose of contents/ container to an approved waste disposal plant.

### Other hazards which do not result in classification

None known.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Hazardous components

Chemical name	CAS-No.	Concentration (% w/w)
N-cyclohexylbenzothiazole-2-sulphenamide	95-33-0	$\geq 70$ - $< 90$
calcium oxide	1305-78-8	$\geq 3$ - $< 10$
Alcohols, C16-18- ethoxylated	68439-49-6	$\geq 1$ - $< 3$

# SAFETY DATA SHEET

## RHENOGRAN CBS-80



Version 2.0      Revision Date: 2019/06/27      SDS Number: 103000011114      Date of last issue: 2019/03/06  
Country / Language: HK / 6N

---

### 4. FIRST AID MEASURES

- General advice : Move out of dangerous area.  
Show this safety data sheet to the doctor in attendance.  
Do not leave the victim unattended.
- If inhaled : If unconscious, place in recovery position and seek medical advice.  
If symptoms persist, call a physician.
- In case of skin contact : If on skin, rinse well with water.
- In case of eye contact : Immediately flush eye(s) with plenty of water.  
Remove contact lenses.  
Protect unharmed eye.  
Keep eye wide open while rinsing.  
If eye irritation persists, consult a specialist.
- If swallowed : Keep respiratory tract clear.  
Do not give milk or alcoholic beverages.  
Never give anything by mouth to an unconscious person.  
If symptoms persist, call a physician.
- Most important symptoms and effects, both acute and delayed : Causes mild skin irritation.  
May cause an allergic skin reaction.  
Causes serious eye damage.
- Notes to physician : No special measures required.
- 

### 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
- Specific hazards during fire-fighting : Do not allow run-off from fire fighting to enter drains or water courses.
- Hazardous combustion products : Carbon dioxide (CO<sub>2</sub>)  
Carbon monoxide  
Nitrogen oxides (NO<sub>x</sub>)  
Sulphur oxides  
Metal oxides
- Specific extinguishing methods : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
- Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.
-

# SAFETY DATA SHEET

## RHENOGRAN CBS-80



Version            Revision Date:            SDS Number:            Date of last issue: 2019/03/06  
2.0                2019/06/27                103000011114            Country / Language: HK / 6N

---

### 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
Avoid dust formation.  
Avoid breathing dust.
- Environmental precautions : Prevent product from entering drains.  
Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Keep in suitable, closed containers for disposal.
- 

### 7. HANDLING AND STORAGE

#### Handling

- Advice on protection against fire and explosion : Avoid dust formation.  
Provide appropriate exhaust ventilation at places where dust is formed.
- Advice on safe handling : Avoid formation of respirable particles.  
Do not breathe vapours/dust.  
Avoid exposure - obtain special instructions before use.  
Avoid contact with skin and eyes.  
For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.  
Dispose of rinse water in accordance with local and national regulations.  
Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.

#### Storage

- Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.  
Containers which are opened must be carefully resealed and kept upright to prevent leakage.  
Electrical installations / working materials must comply with the technological safety standards.
- Further information on storage stability : No decomposition if stored and applied as directed.
-

# SAFETY DATA SHEET

## RHENOGRAN CBS-80



Version 2.0      Revision Date: 2019/06/27      SDS Number: 103000011114      Date of last issue: 2019/03/06  
Country / Language: HK / 6N

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
calcium oxide	1305-78-8	OEL-TWA	2 mg/m <sup>3</sup>	HK OEL
		TWA	2 mg/m <sup>3</sup>	ACGIH

#### Personal protective equipment

- Respiratory protection : In the case of dust or aerosol formation use respirator with an approved filter.
- Hand protection  
Material : Nitrile rubber - NBR  
Wearing time : < 60 min
- Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.
- Eye protection : Tightly fitting safety goggles  
Wear face-shield and protective suit for abnormal processing problems.
- Skin and body protection : Dust impervious protective suit  
Choose body protection according to the amount and concentration of the dangerous substance at the work place.
- Hygiene measures : When using do not eat or drink.  
When using do not smoke.  
Wash hands before breaks and at the end of workday.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

- Appearance : granular
- Colour : blue
- Odour : slight
- Odour Threshold : No data available
- pH : No data available
- Melting point/freezing point : No data available
- Boiling point/boiling range : No data available

# SAFETY DATA SHEET

## RHENOGRAN CBS-80



Version 2.0      Revision Date: 2019/06/27      SDS Number: 103000011114      Date of last issue: 2019/03/06  
Country / Language: HK / 6N

---

Flash point : No data available

Evaporation rate : No data available

Flammability (solid, gas) : No data available

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit : No data available

Vapour pressure : No data available

Relative vapour density : No data available

Relative density : No data available

Density : 1.19 g/cm<sup>3</sup> (20 °C)

Solubility(ies)  
Water solubility : insoluble

Partition coefficient: n-octanol/water : No data available

Ignition temperature : No data available

Decomposition temperature : No data available

Viscosity : No data available

Explosive properties : No data available

Oxidizing properties : No data available

Molecular weight : No data available

---

### 10. STABILITY AND REACTIVITY

Reactivity : No dangerous reaction known under conditions of normal use.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : Under normal conditions of storage and use, hazardous reactions will not occur.  
Stable under recommended storage conditions.  
No hazards to be specially mentioned.  
Dust may form explosive mixture in air.

Conditions to avoid : No data available

# SAFETY DATA SHEET

## RHENOGRAN CBS-80



Version 2.0      Revision Date: 2019/06/27      SDS Number: 103000011114      Date of last issue: 2019/03/06  
Country / Language: HK / 6N

---

Incompatible materials                   : No specific data.  
Hazardous decomposition products       : No hazardous decomposition products are known.

---

### 11. TOXICOLOGICAL INFORMATION

#### **Acute toxicity**

Not classified based on available information.

#### **Product:**

Acute oral toxicity                       : Acute toxicity estimate: > 5,000 mg/kg  
Method: Calculation method

#### **Components:**

##### **N-cyclohexylbenzothiazole-2-sulphenamide:**

Acute oral toxicity                       : LD50 (Rat, male and female): 5,300 mg/kg  
GLP: no  
Acute dermal toxicity                     : LD50 (Rabbit, male and female): > 7,940 mg/kg  
GLP: no

##### **calcium oxide:**

Acute oral toxicity                       : LD50 (Rat, female): > 5,000 mg/kg  
Method: OECD Test Guideline 425  
GLP: yes  
Acute dermal toxicity                     : LD50 (Rabbit, male and female): > 5,000 mg/kg  
Method: OECD Test Guideline 402  
GLP: yes

##### **Alcohols, C16-18- ethoxylated:**

Acute oral toxicity                       : LD50 (Rat): 1,130 - 1,360 mg/kg

#### **Skin corrosion/irritation**

Causes mild skin irritation.

#### **Components:**

##### **N-cyclohexylbenzothiazole-2-sulphenamide:**

Species: Rabbit  
Exposure time: 24 h  
Method: OECD Test Guideline 404  
GLP: yes  
Remarks: Non persistent irritation  
Based on available data, the classification criteria are not met.

**SAFETY DATA SHEET**  
**RHENOGRAN CBS-80**



Version 2.0      Revision Date: 2019/06/27      SDS Number: 103000011114      Date of last issue: 2019/03/06  
Country / Language: HK / 6N

---

**calcium oxide:**

Result: Irritating to skin.

**Serious eye damage/eye irritation**

Causes serious eye damage.

**Components:**

**N-cyclohexylbenzothiazole-2-sulphenamide:**

Species: Rabbit

Exposure time: 24 h

GLP: no

Remarks: May cause slight transient irritation

Based on available data, the classification criteria are not met.

**calcium oxide:**

Result: Risk of serious damage to eyes.

**Alcohols, C16-18- ethoxylated:**

Assessment: Risk of serious damage to eyes.

**Respiratory or skin sensitisation**

**Skin sensitisation**

May cause an allergic skin reaction.

**Respiratory sensitisation**

Not classified based on available information.

**Components:**

**N-cyclohexylbenzothiazole-2-sulphenamide:**

Exposure routes: Skin contact

Species: Human

Result: May cause sensitisation by skin contact.

GLP: no

**Germ cell mutagenicity**

Not classified based on available information.

**Components:**

**N-cyclohexylbenzothiazole-2-sulphenamide:**

Genotoxicity in vitro

: Test Type: Ames test

Test system: Salmonella typhimurium

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

GLP: yes

# SAFETY DATA SHEET

## RHENOGRAN CBS-80



Version 2.0      Revision Date: 2019/06/27      SDS Number: 103000011114      Date of last issue: 2019/03/06  
Country / Language: HK / 6N

---

Test Type: Ames test  
Test system: Escherichia coli  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 471  
Result: negative  
GLP: yes

Test Type: Chromosome aberration test in vitro  
Test system: Chinese hamster lung cells  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 473  
Result: equivocal  
GLP: yes

Test Type: In vitro mammalian cell gene mutation test  
Test system: mouse lymphoma cells  
Metabolic activation: with and without metabolic activation  
Result: negative

Germ cell mutagenicity - Assessment : Based on available data, the classification criteria are not met.

### **Carcinogenicity**

Not classified based on available information.

### **Components:**

#### **N-cyclohexylbenzothiazole-2-sulphenamide:**

Species: Mouse, (male and female)  
Application Route: Oral  
Activity duration: 18 Months  
Dose: 95,3 mg/kg body weight  
Result: no increase in tumors observed  
GLP: no

### **Reproductive toxicity**

Not classified based on available information.

### **Components:**

#### **N-cyclohexylbenzothiazole-2-sulphenamide:**

Effects on fertility : Species: Rat, male  
Duration of Single Treatment: 28 Days  
Fertility: NOAEL: 250 mg/kg body weight  
Target Organs: Testes  
GLP: yes

Species: Rat, female  
Duration of Single Treatment: 28 Days  
Fertility: NOAEL: 800 mg/kg body weight

**SAFETY DATA SHEET**  
**RHENOGRAN CBS-80**



Version 2.0      Revision Date: 2019/06/27      SDS Number: 103000011114      Date of last issue: 2019/03/06  
Country / Language: HK / 6N

---

Target Organs: Testes  
GLP: yes

Effects on foetal development : Species: Rat  
Application Route: Oral  
Duration of Single Treatment: 9 Days  
General Toxicity Maternal: NOAEL: 100 mg/kg body weight  
Embryo-foetal toxicity: NOAEL: 300 mg/kg body weight  
Method: OECD Test Guideline 414  
GLP: yes

**calcium oxide:**

Effects on foetal development : Species: Rat  
Application Route: Oral  
Duration of Single Treatment: 10 d  
Developmental Toxicity: NOAEL:  $\geq$  680 mg/kg body weight  
Method: OECD Test Guideline 414  
Result: No teratogenic potential  
GLP: no

Species: Mouse  
Application Route: Oral  
Duration of Single Treatment: 10 d  
General Toxicity Maternal: NOAEL:  $\geq$  440 mg/kg body weight  
Developmental Toxicity: NOAEL:  $\geq$  440 mg/kg body weight  
Method: OECD Test Guideline 414  
GLP: no

**STOT - single exposure**

Not classified based on available information.

**Components:**

**calcium oxide:**

Assessment: May cause respiratory irritation.

**STOT - repeated exposure**

Not classified based on available information.

**Repeated dose toxicity**

**Components:**

**N-cyclohexylbenzothiazole-2-sulphenamide:**

Species: Rat, male and female  
NOAEL: 80 mg/kg  
Application Route: Oral  
Exposure time: 28 d  
Number of exposures: daily  
Remarks: Subacute toxicity

# SAFETY DATA SHEET

## RHENOGRAN CBS-80



Version 2.0      Revision Date: 2019/06/27      SDS Number: 103000011114      Date of last issue: 2019/03/06  
Country / Language: HK / 6N

---

Species: Rat, male and female  
NOAEL: 0.048 mg/l  
Application Route: Inhalation  
Exposure time: 4 Weeks  
Number of exposures: 6 hours/day  
Method: OECD Test Guideline 412  
GLP: yes  
Remarks: Subacute toxicity

Species: Rabbit, male and female  
NOAEL: 2,000 mg/kg  
Application Route: Skin contact  
Exposure time: 21 d  
Number of exposures: daily  
Method: OECD Test Guideline 410  
GLP: yes  
Remarks: Subacute toxicity

### Aspiration toxicity

Not classified based on available information.

### Further information

#### Product:

Remarks: No data available

---

## 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Components:

##### **N-cyclohexylbenzothiazole-2-sulphenamide:**

- Toxicity to fish : LC50 (Oryzias latipes (Orange-red killifish)): 2.1 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203  
GLP: yes
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.79 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202  
GLP: yes
- Toxicity to algae : IC50 ( Pseudokirchneriella subcapitata (microalgae)): 0.15 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
GLP: yes
- NOEC ( Pseudokirchneriella subcapitata (microalgae)):

**SAFETY DATA SHEET**  
**RHENOGRAN CBS-80**



Version 2.0      Revision Date: 2019/06/27      SDS Number: 103000011114      Date of last issue: 2019/03/06  
Country / Language: HK / 6N

---

0.0084 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
GLP: yes

M-Factor (Acute aquatic toxicity) : 1

Toxicity to microorganisms : EC50 (activated sludge): > 10,000 mg/l  
Exposure time: 3 h  
Method: OECD Test Guideline 209  
GLP: no

Toxicity to fish (Chronic toxicity) : NOEC: 0.041 mg/l  
Exposure time: 89 d  
Species: Oncorhynchus mykiss (rainbow trout)  
Method: OECD Test Guideline 210  
GLP: yes  
Remarks: Test results on an analogous product

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0.058 mg/l  
Exposure time: 21 Days  
Species: Daphnia magna (Water flea)  
Method: OECD Test Guideline 211  
GLP: yes

M-Factor (Chronic aquatic toxicity) : 10

**calcium oxide:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 50.6 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203  
GLP: yes  
Remarks: Fresh water

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 49.1 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202  
GLP: yes

Toxicity to algae : EC10 ( Pseudokirchneriella subcapitata (microalgae)): 79.22 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
GLP: yes

EC50 ( Pseudokirchneriella subcapitata (microalgae)): 184.57 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

**SAFETY DATA SHEET**  
**RHENOGRAN CBS-80**



Version 2.0      Revision Date: 2019/06/27      SDS Number: 103000011114      Date of last issue: 2019/03/06  
Country / Language: HK / 6N

---

GLP: yes

Toxicity to microorganisms : EC10 (activated sludge): 300.4 mg/l  
Exposure time: 3 h  
Method: OECD Test Guideline 209  
GLP: yes

**Persistence and degradability**

**Components:**

**N-cyclohexylbenzothiazole-2-sulphenamide:**

Biodegradability : Result: Not readily biodegradable.  
Biodegradation: 0 %  
Exposure time: 28 Days  
Method: Regulation (EC) No. 440/2008, Annex, C.4-F  
GLP: no

Result: Not inherently biodegradable.  
Biodegradation: 0 %  
Exposure time: 35 Days  
Method: Sturm-Test

Stability in water : Degradation half life (Fresh water): 12.5 h (25 °C) pH: 7

Photodegradation : Rate constant: 50 %

**Bioaccumulative potential**

**Components:**

**N-cyclohexylbenzothiazole-2-sulphenamide:**

Bioaccumulation : Bioconcentration factor (BCF): 924.7  
Method: calculated

Partition coefficient: n-octanol/water : log Pow: 5 (25 °C)  
pH: 7  
Method: OECD Test Guideline 117  
GLP: yes

**Mobility in soil**

**Components:**

**N-cyclohexylbenzothiazole-2-sulphenamide:**

Distribution among environmental compartments : Koc: 3.56  
Method: estimated

**Other adverse effects**

**Product:**

---

**SAFETY DATA SHEET**  
**RHENOGRAN CBS-80**



Version 2.0      Revision Date: 2019/06/27      SDS Number: 103000011114      Date of last issue: 2019/03/06  
Country / Language: HK / 6N

---

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.  
Very toxic to aquatic life with long lasting effects.

**Components:**

**N-cyclohexylbenzothiazole-2-sulphenamide:**

Results of PBT and vPvB assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT).  
This substance is not considered to be very persistent and very bioaccumulating (vPvB).

---

**13. DISPOSAL CONSIDERATIONS**

**Disposal methods**

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.  
Do not contaminate ponds, waterways or ditches with chemical or used container.  
Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.  
Dispose of as unused product.  
Do not re-use empty containers.

---

**14. TRANSPORT INFORMATION**

**International Regulations**

**IATA-DGR**

UN/ID No. : UN 3077  
Proper shipping name : Environmentally hazardous substance, solid, n.o.s.  
(N-CYCLOHEXYL-2-BENZOTHAZOLESULPHENAMIDE)  
Class : 9  
Packing group : III  
Labels : 9  
:



Packing instruction (cargo aircraft) : 956: 400.00 KG  
Packing instruction (passenger aircraft) : 956: 400.00 KG  
Environmentally hazardous : yes

---

**SAFETY DATA SHEET**  
**RHENOGRAN CBS-80**



Version 2.0      Revision Date: 2019/06/27      SDS Number: 103000011114      Date of last issue: 2019/03/06  
Country / Language: HK / 6N

---



**IMDG-Code**

UN number : UN 3077  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (N-CYCLOHEXYL-2-BENZOTHAZOLESULPHENAMIDE)  
Class : 9  
Packing group : III  
Labels : 9



Marine pollutant : yes



**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

**Hazard statements** : Environmentally hazardous substance.  
Keep separated from foodstuffs.

---

**15. REGULATORY INFORMATION**

**National regulatory information**

International Chemical Weapons Convention (CWC) : Not applicable  
Schedules of Toxic Chemicals and Precursors

Further information : Dangerous Goods Ordinance (Cap295)  
Factories and Industrial Undertaking Ordinance (Cap59),  
F&IU (Dangerous Substances) Regulations  
Waste Disposal Ordinance Waster Disposal (Chemical Waste)  
(General) Regulations (Cap354)  
Air Pollution Control Ordinance Air Pollution (Volatile Organic  
Compounds) Regulation (Cap311)  
Code of Practice on Control of Air Impurities (Chemical Sub-  
stance) in the Workplace

# SAFETY DATA SHEET

## RHENOGRAN CBS-80



Version	Revision Date:	SDS Number:	Date of last issue: 2019/03/06
2.0	2019/06/27	103000011114	Country / Language: HK / 6N

---

### Other international regulations

---

## 16. OTHER INFORMATION

### Full text of other abbreviations

ATE = Acute Toxicity Estimate  
BCF = Bioconcentration Factor  
GHS = Globally Harmonized System of Classification and Labelling of Chemicals

ACGIH : USA. ACGIH Threshold Limit Values (TLV)  
HK OEL : Code of Practice on Control of Air Impurities (Chemical Substances) in the Workplace

ACGIH / TWA : 8-hour, time-weighted average  
HK OEL / OEL-TWA : Time weighted Average

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.