

SAFETY DATA SHEET

AFLUX 42 M



Version 1.0 Revision Date: 2019/03/05 SDS Number: 103000010561 Date of last issue: -
Country / Language: HK / 6N

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : AFLUX 42 M

Product code : 05058813

Manufacturer or supplier's details

Supplier : 朗盛香港有限公司
港島東 英皇道 979 號 太古坊
康橋大廈 35 樓 3503-3504 室, 香港

Telephone : +85235268888

E-mail address of person responsible for the SDS : lxs-sds-china@lanxess.com

Emergency telephone number : 0049-214-30-99300 (German)

Supplier : LANXESS Hong Kong Limited
Suites 3503-3504, 35/F Cambridge House
TaiKoo Place, 979 King's Road Island East, Hong Kong, Hong Kong

Telephone : +85235268888

E-mail address of person responsible for the SDS : lxs-sds-china@lanxess.com

Emergency telephone : 0049-214-30-99300 (German)

Recommended use of the chemical and restrictions on use

Recommended use : Processing aid

2. HAZARDS IDENTIFICATION

GHS Classification

Short-term (acute) aquatic hazard : Category 3

Long-term (chronic) aquatic hazard : Category 3

GHS label elements

Hazard pictograms : None

Signal word : None

Hazard statements : H412 Harmful to aquatic life with long lasting effects.

SAFETY DATA SHEET

AFLUX 42 M



Version 1.0 Revision Date: 2019/03/05 SDS Number: 103000010561 Date of last issue: -
Country / Language: HK / 6N

Precautionary statements : **Prevention:**
P273 Avoid release to the environment.
Disposal:
P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous components

Chemical name	CAS-No.	Concentration (% w/w)
Fatty acids, C16-18	67701-03-5	≥ 10 - < 20
sodium stearate	822-16-2	≥ 1 - < 10
2,6-di-tert-butyl-p-cresol	128-37-0	≥ 0.25 - < 1

4. FIRST AID MEASURES

General advice : Do not leave the victim unattended.

If inhaled : If unconscious, place in recovery position and seek medical advice.
If symptoms persist, call a physician.

In case of skin contact : Wash off with soap and water.
Wash contaminated clothing before re-use.

In case of eye contact : Remove contact lenses.
Protect unharmed eye.
If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.

Most important symptoms and effects, both acute and delayed : None known.

Notes to physician : No special measures required.

5. FIREFIGHTING MEASURES

SAFETY DATA SHEET

AFLUX 42 M



Version 1.0 Revision Date: 2019/03/05 SDS Number: 103000010561 Date of last issue: -
Country / Language: HK / 6N

- Suitable extinguishing media : In case of fire, use water/water spray/water jet/carbon dioxide/sand/foam/alcohol resistant foam/chemical powder for extinction.
- Specific hazards during fire-fighting : Do not allow run-off from fire fighting to enter drains or water courses.
- Hazardous combustion products : Carbon dioxide (CO₂)
Carbon monoxide
Metal oxides
- Specific extinguishing methods : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
- Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.
-

6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Avoid dust formation.
- Environmental precautions : Prevent product from entering drains.
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Pick up and arrange disposal without creating dust.
Sweep up and shovel.
Keep in suitable, closed containers for disposal.
-

7. HANDLING AND STORAGE

Handling

- Advice on protection against fire and explosion : Provide appropriate exhaust ventilation at places where dust is formed.
- Advice on safe handling : For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.

Storage

- Conditions for safe storage : Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Electrical installations / working materials must comply with the technological safety standards.
-

SAFETY DATA SHEET

AFLUX 42 M



Version 1.0 Revision Date: 2019/03/05 SDS Number: 103000010561 Date of last issue: -
Country / Language: HK / 6N

Materials to avoid : No materials to be especially mentioned.
Further information on storage stability : No decomposition if stored and applied as directed.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
sodium stearate	822-16-2	OEL-TWA	10 mg/m3	HK OEL
Further information: Does not include stearates of toxic metals				
		TWA (Inhalable fraction)	10 mg/m3	ACGIH
		TWA (Respirable fraction)	3 mg/m3	ACGIH
2,6-di-tert-butyl-p-cresol	128-37-0	TWA (Inhalable fraction and vapor)	2 mg/m3	ACGIH

Engineering measures : This information is not available.

Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally required.

Hand protection
Material : Nitrile rubber - NBR
Wearing time : < 60 min

Eye protection : Safety glasses

Skin and body protection : Protective suit

Hygiene measures : General industrial hygiene practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : Pastilles
Colour : brown
Odour : fatty.
Odour Threshold : No data available

SAFETY DATA SHEET

AFLUX 42 M



Version 1.0 Revision Date: 2019/03/05 SDS Number: 103000010561 Date of last issue: -
Country / Language: HK / 6N

pH : No data available

Melting point/range : 85 °C

Boiling point/boiling range : No data available

Flash point : > 200 °C
Method: closed cup

Evaporation rate : No data available

Flammability (solid, gas) : No data available

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit : No data available

Vapour pressure : No data available

Relative vapour density : No data available

Relative density : No data available

Density : 0.9 g/cm³ (20 °C)

Solubility(ies)
Water solubility : insoluble

Partition coefficient: n-octanol/water : No data available

Ignition temperature : No data available

Decomposition temperature : No data available

Viscosity : No data available

Explosive properties : No data available

Oxidizing properties : No data available

Molecular weight : No data available

10. STABILITY AND REACTIVITY

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : No decomposition if stored and applied as directed.

SAFETY DATA SHEET

AFLUX 42 M



Version 1.0 Revision Date: 2019/03/05 SDS Number: 103000010561 Date of last issue: -
Country / Language: HK / 6N

Possibility of hazardous reactions : Stable under recommended storage conditions.
No hazards to be specially mentioned.

Conditions to avoid : No data available

Incompatible materials : No specific data.

Hazardous decomposition products : No hazardous decomposition products are known.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Skin contact
Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg
Method: Calculation method

Components:

Fatty acids, C16-18:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg
Method: OECD Test Guideline 401
GLP: no

LD50 (Rat): > 2,000 mg/kg

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg
Method: OECD Test Guideline 434
Assessment: The substance or mixture has no acute dermal toxicity

2,6-di-tert-butyl-p-cresol:

Acute oral toxicity : LD50 (Rat, male and female): > 2,930 mg/kg
Method: OECD Test Guideline 401
GLP: yes
Assessment: The substance or mixture has no acute oral toxicity
Remarks: Dosage caused no mortality

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg
Method: OECD Test Guideline 402
GLP: yes
Assessment: The substance or mixture has no acute dermal toxicity
Remarks: Dosage caused no mortality

SAFETY DATA SHEET

AFLUX 42 M



Version 1.0 Revision Date: 2019/03/05 SDS Number: 103000010561 Date of last issue: -
Country / Language: HK / 6N

Skin corrosion/irritation

Not classified based on available information.

Components:

Fatty acids, C16-18:

Species: Rabbit
Method: OECD Test Guideline 404
Result: No skin irritation
Remarks: Test results on an analogous product

2,6-di-tert-butyl-p-cresol:

Species: Rabbit
Exposure time: 24 h
Remarks: Mild skin irritation
(not subject to classification)

Serious eye damage/eye irritation

Not classified based on available information.

Components:

Fatty acids, C16-18:

Species: Rabbit
Method: OECD Test Guideline 405
Result: No eye irritation
Remarks: Test results on an analogous product

2,6-di-tert-butyl-p-cresol:

Species: Rabbit
Exposure time: 24 h
Remarks: Mild eye irritation
(not subject to classification)

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:

Fatty acids, C16-18:

Exposure routes: Skin contact
Species: Guinea pig
Method: OECD Test Guideline 406
Result: Did not cause sensitisation on laboratory animals.

SAFETY DATA SHEET

AFLUX 42 M



Version 1.0 Revision Date: 2019/03/05 SDS Number: 103000010561 Date of last issue: -
Country / Language: HK / 6N

Result: negative

Carcinogenicity

Not classified based on available information.

Components:

2,6-di-tert-butyl-p-cresol:

Species: Rat, (male and female)

NOAEL: 247 mg/kg bw/day

Target Organs: Liver

Reproductive toxicity

Not classified based on available information.

Components:

Fatty acids, C16-18:

Effects on fertility : Species: Rat
Application Route: Oral
Dose: > 1000 milligram per kilogram
Symptoms: NOAEL
Method: OECD Test Guideline 422

2,6-di-tert-butyl-p-cresol:

Effects on fertility : Test Type: Two-generation study
Species: Rat, male and female
Application Route: Oral
Fertility: NOAEL: 500 mg/kg body weight
GLP: yes

Effects on foetal development : Test Type: Two-generation study
Species: Rat, male and female
Application Route: Oral
General Toxicity Maternal: NOAEL: 100 mg/kg body weight
Developmental Toxicity: NOAEL: 100 mg/kg body weight
GLP: yes

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Repeated dose toxicity

Components:

2,6-di-tert-butyl-p-cresol:

Species: Rat, male

SAFETY DATA SHEET

AFLUX 42 M



Version 1.0 Revision Date: 2019/03/05 SDS Number: 103000010561 Date of last issue: -
Country / Language: HK / 6N

NOAEL: 25 mg/kg
Application Route: Oral
Exposure time: 35 - 56 d
Number of exposures: daily
GLP: yes
Target Organs: Liver
Symptoms: alteration in liver enzymes

Aspiration toxicity

Not classified based on available information.

Further information

Product:

Remarks: No data available

12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Fatty acids, C16-18:

- Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 1,000 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 4.8 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
- Toxicity to algae : EC50 (Pseudokirchneriella subcapitata (microalgae)): 0.9 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 211
- M-Factor (Acute aquatic toxicity) : 1
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0.22 mg/l
Exposure time: 21 Days
Species: Daphnia magna (Water flea)
Method: OECD Test Guideline 211

Ecotoxicology Assessment

- Acute aquatic toxicity : This product has no known ecotoxicological effects.
- Chronic aquatic toxicity : This product has no known ecotoxicological effects.
-

SAFETY DATA SHEET

AFLUX 42 M



Version 1.0 Revision Date: 2019/03/05 SDS Number: 103000010561 Date of last issue: -
Country / Language: HK / 6N

2,6-di-tert-butyl-p-cresol:

- Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 0.57 mg/l
Exposure time: 96 h
Method: Regulation (EC) No. 440/2008, Annex, C.1
GLP: yes
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.48 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
GLP: yes
- Toxicity to algae : EC50 (Desmodesmus subspicatus (green algae)): > 0.4 mg/l
End point: Growth rate
Exposure time: 72 h
Method: Regulation (EC) No. 440/2008, Annex, C.3
GLP: yes
- NOEC (Desmodesmus subspicatus (green algae)): 0.4 mg/l
End point: Growth rate
Exposure time: 72 h
Method: Regulation (EC) No. 440/2008, Annex, C.3
GLP: yes
- M-Factor (Acute aquatic toxicity) : 1
- Toxicity to microorganisms : EC50 (activated sludge): > 10,000 mg/l
End point: Respiration inhibition
Exposure time: 3 h
Method: OECD Test Guideline 209
GLP: yes
- Toxicity to fish (Chronic toxicity) : NOEC: 0.053 mg/l
Exposure time: 42 d
Species: Oryzias latipes (Orange-red killifish)
Method: OECD Test Guideline 210
GLP: yes
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0.023 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)
Method: OECD Test Guideline 202
GLP: yes
- M-Factor (Chronic aquatic toxicity) : 1

Persistence and degradability

Components:

Fatty acids, C16-18:

SAFETY DATA SHEET

AFLUX 42 M



Version 1.0 Revision Date: 2019/03/05 SDS Number: 103000010561 Date of last issue: -
Country / Language: HK / 6N

Biodegradability : Result: Readily biodegradable.

2,6-di-tert-butyl-p-cresol:

Biodegradability : Result: Not readily biodegradable.
Biodegradation: 4.5 %
Exposure time: 28 d
Method: OECD Test Guideline 301C

Bioaccumulative potential

Components:

Fatty acids, C16-18:

Partition coefficient: n-octanol/water : log Pow: > 5
Method: Regulation (EC) No. 440/2008, Annex, A.8

2,6-di-tert-butyl-p-cresol:

Bioaccumulation : Bioconcentration factor (BCF): > 2,000

Partition coefficient: n-octanol/water : log Pow: 5.1
Method: measured

Mobility in soil

Components:

2,6-di-tert-butyl-p-cresol:

Distribution among environmental compartments : Koc: 14750, log Koc: 3.9 - 4.2
Method: estimated

Other adverse effects

Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Harmful to aquatic life with long lasting effects.

Components:

2,6-di-tert-butyl-p-cresol:

Results of PBT and vPvB assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT).
This substance is not considered to be very persistent and very bioaccumulating (vPvB).

SAFETY DATA SHEET

AFLUX 42 M



Version 1.0 Revision Date: 2019/03/05 SDS Number: 103000010561 Date of last issue: -
Country / Language: HK / 6N

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.

14. TRANSPORT INFORMATION

International Regulations

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Hazard statements : Not dangerous cargo.
Keep separated from foodstuffs.

15. REGULATORY INFORMATION

National regulatory information

International Chemical Weapons Convention (CWC) Schedules of Toxic Chemicals and Precursors : Not applicable

Hong Kong. Control of Chemicals Ordinance : Neither banned nor restricted

Hong Kong. Chemical Weapons (Convention) Ordinance (Cap. 578) (Schedule 1 Chemicals) : Neither banned nor restricted

Hong Kong. Chemical Weapons (Convention) Ordinance (Cap. 578) (Schedule 2 Chemicals) : Neither banned nor restricted

Hong Kong. Chemical Weapons (Convention) Ordinance (Cap. 578) (Schedule 3 Chemicals) : Neither banned nor restricted

Further information : Dangerous Goods Ordinance (Cap295)
Factories and Industrial Undertaking Ordinance (Cap59),
F&IU (Dangerous Substances) Regulations
Waste Disposal Ordinance Waster Disposal (Chemical Waste) (General) Regulations (Cap354)
Air Pollution Control Ordinance Air Pollution (Volatile Organic Compounds) Regulation (Cap311)
Code of Practice on Control of Air Impurities (Chemical Sub-

SAFETY DATA SHEET

AFLUX 42 M



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2019/03/05	103000010561	Country / Language: HK / 6N

stance) in the Workplace

16. OTHER INFORMATION

Full text of other abbreviations

ATE = Acute Toxicity Estimate
BCF = Bioconcentration Factor
GHS = Globally Harmonized System of Classification and Labelling of Chemicals

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
HK OEL : Code of Practice on Control of Air Impurities (Chemical Substances) in the Workplace

ACGIH / TWA : 8-hour, time-weighted average
HK OEL / OEL-TWA : Time weighted Average

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.